


Installation: ComfyUI on KITEGG Server

1. Clone ComfyUI GitHub Repository

1. Open a terminal



2. Download the ComfyUI repository

In Terminal, run this command:

```
git clone https://github.com/comfyanonymous/ComfyUI
```

3. Navigate to the "custom_nodes" folder and download the ComfyUI Manager

In Terminal, run these commands (one after the other):

```
cd ComfyUI/custom_nodes
```

```
git clone https://github.com/ltldrdata/ComfyUI-Manager
```


2. Run ComfyUI

2.1. Adapt Notebook for running it on the KITEGG Server

1. Navigate to the ComfyUI Manager notebook and open the Notebook
"comfyui_colab_with_manager.ipynb"

Path: ComfyUI/custom_nodes/ComfyUI-Manager/notebooks/comfyui_colab_with_manager.ipynb

2. Make following changes to the notebook (pink Markups are going to be changed):



```
Git clone the repo and install the requirements. (ignore the pip errors about protobuf)

•[1]: # #@title Environment Setup

from pathlib import Path

OPTIONS = {}

USE_GOOGLE_DRIVE = True #@param {type:"boolean"}
UPDATE_COMFY_UI = True #@param {type:"boolean"}
USE_COMFYUI_MANAGER = True #@param {type:"boolean"}
INSTALL_CUSTOM_NODES_DEPENDENCIES = True #@param {type:"boolean"}
OPTIONS['USE_GOOGLE_DRIVE'] = USE_GOOGLE_DRIVE
OPTIONS['UPDATE_COMFY_UI'] = UPDATE_COMFY_UI
OPTIONS['USE_COMFYUI_MANAGER'] = USE_COMFYUI_MANAGER
OPTIONS['INSTALL_CUSTOM_NODES_DEPENDENCIES'] = INSTALL_CUSTOM_NODES_DEPENDENCIES

current_dir = !pwd
WORKSPACE = f"{current_dir[0]}/ComfyUI"
```

a) Disable Google Drive Connection (Set USE_GOOGLE_DRIVE = "False")

Delete: `USE_GOOGLE_DRIVE = True #@param {type:"boolean"}`

Paste: `USE_GOOGLE_DRIVE = False #@param {type:"boolean"}`

b) Change Workspace Location (Set WORKSPACE = '~/ComfyUI')


Delete: `current_dir = !pwd`

Delete: `WORKSPACE = f"{current_dir[0]}/ComfyUI"`

Paste: `WORKSPACE = '~/ComfyUI'`

3. Check and Run

a) Make sure the code looks like this:



```
[1]: # #@title Environment Setup

from pathlib import Path

OPTIONS = {}

USE_GOOGLE_DRIVE = False #@param {type:"boolean"}
UPDATE_COMFY_UI = True #@param {type:"boolean"}
USE_COMFYUI_MANAGER = True #@param {type:"boolean"}
INSTALL_CUSTOM_NODES_DEPENDENCIES = True #@param {type:"boolean"}
OPTIONS['USE_GOOGLE_DRIVE'] = USE_GOOGLE_DRIVE
OPTIONS['UPDATE_COMFY_UI'] = UPDATE_COMFY_UI
OPTIONS['USE_COMFYUI_MANAGER'] = USE_COMFYUI_MANAGER
OPTIONS['INSTALL_CUSTOM_NODES_DEPENDENCIES'] = INSTALL_CUSTOM_NODES_DEPENDENCIES


WORKSPACE = '~/ComfyUI'
```

b) save the notebook changes ⌘S

c) run the cell ↵

2.2. Install Models

1. Go to the Second Cell



```
[ ]: # Checkpoints

## SDXL
## I recommend these workflow examples: https://comfyanonymous.github.io/ComfyUI_examples/sdxl/

#!wget -c https://huggingface.co/stabilityai/stable-diffusion-xl-base-1.0/resolve/main/sd_xl_base_1.0.safetensors -P ./models
#!wget -c https://huggingface.co/stabilityai/stable-diffusion-xl-refiner-1.0/resolve/main/sd_xl_refiner_1.0.safetensors -P ./models

# SDXL ReVision
#!wget -c https://huggingface.co/comfyanonymous/clip_vision_g/resolve/main/clip_vision_g.safetensors -P ./models/clip_vision_g

# SD1.5
#!wget -c https://huggingface.co/Comfy-Org/stable-diffusion-v1-5-archive/resolve/main/v1-5-pruned-emaonly-fp16.safetensors -P ./models

# SD2
#!wget -c https://huggingface.co/stabilityai/stable-diffusion-2-1-base/resolve/main/v2-1_512-ema-pruned.safetensors -P ./models
#!wget -c https://huggingface.co/stabilityai/stable-diffusion-2-1/resolve/main/v2-1_768-ema-pruned.safetensors -P ./models
```

2. Uncomment the models you want to install (delete the "#" in front of the lines)

you can always install more models later

3. run the cell ↵

2.3. Install ControlNet Preprocessor

open Terminal, paste and run code:

```
cd ComfyUI/custom_nodes/
```

```
git clone https://github.com/Fannovel16/comfyui_controlnet_aux/
```

```
cd comfyui_controlnet_aux
```

```
pip install -r requirements.txt
```

if this does not work, check for updates in the Installation guide at

https://github.com/Fannovel16/comfyui_controlnet_aux?tab=readme-ov-file#alternative.

2.4. Open Comfy UI

0. (If you did 2.4.: Go back to the Notebook)

1. Run the last cell "ComfyUI with cloudflared"

2. In the terminal code, search for the `URL to access ComfyUI` (<https://xxxx-xxxxx-xxxx.trycloudflare.com>) and copy it to your browser.

3. Always stop your server (important)!

At end of use, please do not forget to stop your server. It uses a lot of energy. Thanks:)

To do so go to `File > Hub Control Panel > Stop My Server`

Hints

Opening ComfyUI after initial installation

(no Terminal needed)

1. Open the Notebook like before

Path: `ComfyUI/custom_nodes/ComfyUI-Manager/notebooks/comfyui_colab_with_manager.ipynb`

2. **Run All Three Cells** (wait for Processes to complete before running next cell)
add more models by uncommenting them in the 2nd cell if you like

3. In the terminal code of the last cell, search for the `URL to access ComfyUI` (<https://xxxx-xxxxx-xxxx.trycloudflare.com>) and copy it to your browser.

Revision #15

Created 13 September 2024 11:10:27 by Matthias Grund

Updated 7 April 2025 04:15:46 by Jana Hartmann