

StyleGAN3, StyleGAN-fun, dragGAN

Alias-Free Generative Adversarial Networks

- [StyleGAN install und usage instructions](#)
- [StyleGAN3 - Training](#)
- [Handling errors specific to stylegan](#)
 - [Setting up PyTorch plugin "bias_act_plugin"... Failed!](#)
- [StyleGAN workshop Dangerzones](#)
- [Workshop](#)

StyleGAN install und usage instructions

Setup Remote Jupyterhub Notebook

1. Signing into Jupyterhub

Login to JupyterHub with your cluster credentials [here](#)

Choose an XS or S slice

make sure to choose cuda 11.7 from the dropdown



A screenshot of a JupyterHub interface. It shows a light gray header bar with the text 'Start My Server' in a dark blue button. Below the button is a large, empty white area, likely for a terminal or code editor. The button has a small cursor icon pointing at it.

2. Installing Stylegan3

```
conda init bash
```

```
source ~/.bashrc
```

```
git clone https://github.com/NVlabs/stylegan3.git
```

```
cd stylegan3
```

```
conda env create -f environment.yml
```

```
conda activate stylegan3
```

```
conda install cudatoolkit
```

downloading models

make 'pretrained' directory

```
mkdir pretrained
```

ffhq flicker faces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/j06LuPxYHRRtnQE/download -O  
pretrained/ffhq_faces.pkl
```

Wikiart

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/tbjJS7XBezbAC3B/download -O  
pretrained/wikiart.pkl
```

Metfaces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/eFZAmR6dDLelSo7/download -O  
pretrained/metfaces.pkl
```

Setup Local Stylegan

1. Refer to the Github Page

For major installation process refer to the [stylegan3 GitHub Page](#).

This is an in-depth YouTube tutorial on [how to install stylegan3 locally](#)

2. Installing Stylegan3

```
conda init bash
```

```
source ~/.bashrc
```

```
git clone https://github.com/NVLabs/stylegan3.git
```

```
cd stylegan3
```

```
conda env create -f environment.yml
```

```
conda activate stylegan3
```

```
conda install cudatoolkit
```

downloading models

make 'pretrained' directory

```
mkdir pretrained
```

ffhq flicker faces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/j06LuPxYHRRtnQE/download -O  
pretrained/ffhq_faces.pkl
```

Wikiart

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/tbjJS7XBezbAC3B/download -O  
pretrained/wikiart.pkl
```

Metfaces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/eFZAmR6dDLelSo7/download -O  
pretrained/metfaces.pkl
```

Inference

For generating single images and videos, you may follow these steps.

activating conda environment


this needs to be done before every session if you want to use stylegan

```
conda init bash
```

```
source ~/.bashrc
```

```
conda activate stylegan3
```

alternatively if you are not able to activate stylegan3 through the terminal on our workstations, you can use the anaconda Navigator and start the terminal with the environment activated:



inference images

```
python gen_images.py --outdir=out --trunc=1 --seeds=2 --
network=https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-r-
afhqv2-512x512.pkl
```

inference video

```
python gen_video.py --output=out/wikiart.mp4 --trunc=1 --seeds=0-31 --network=pretrained/wikiart.pkl
```

Training

For training your own datasets, you can follow these steps.

For your own dataset make sure that your training data has the correct resolution. You may use either 1024x1024, 512x512 or 256x256 resolution. The chosen resolution has to match with the pre-existing dataset that you want to train on.

You may start a dataset from scratch, just be aware that generally training your collected images on a pre-existing dataset will usually give better results (and faster ones too).

activating conda environment

this needs to be done before every session if you want to use stylegan

```
conda init bash
```

```
source ~/.bashrc
```

```
conda activate stylegan3
```

alternatively if you are not able to activate stylegan3 through the terminal on our workstations, you can use the anaconda Navigator and start the terminal with the environment activated:

The screenshot shows the Anaconda Navigator application window. The top bar includes the Anaconda Navigator logo and a 'Connect' button. The left sidebar contains navigation options: Home, Environments, Learning, and Community. The main area is divided into two panes. The left pane shows a list of environments: instant-ngp, ldm, miniconda3, myenv, nerf-sr, ngp, qwe, stylegan-fun, and stylegan3. The right pane shows a table of installed packages for the selected environment (stylegan3).

Name	Description	Version
blas	Linear algebra package	1.0
brotli	Brotli compression format	1.0.9
brotli-bin	Brotli compression format	1.0.9
brotlipy	Python bindings to the brotli compression library	0.7.0
ca-certificates	Certificates for use with other packages.	2023.01...
certifi	Python package for providing mozilla's ca bundle.	2023.5.7
cffi	Foreign function interface for python calling c code.	1.15.1
charset-normalizer	The real first universal charset detector. open, modern and actively maintained alternative to chardet.	2.0.4
click	Python composable command line interface toolkit	8.0.4
colorama	Cross-platform colored terminal text	0.4.5
cryptography	Provides cryptographic recipes and primitives to python developers	38.0.1

153 packages available

Download Training data

If not done before, set up a new directory for the training data

```
mkdir trainingdata
```

If you want to download your trainingdata from a sciebo folder, you may use this code. Instead of the given link you may use your own one.

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/7SzJ55ZroKPf5zY/download -O trainingdata/group01.zip
```

```
wget --no-check-certificate --content-disposition https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-t-afhqv2-512x512.pkl -O datasets/stylegan3-t-afhqv2-512x512.pkl
```

<https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-t-afhqv2-512x512.pkl>

Prepare training data

Before training, it is highly recommended to check your dataset through the given stylegan3 check-up. It can resize your images too, although it is usually better to do it before on your own. (Adobe Bridge is a great tool for batch processing.)

```
python dataset_tool.py --source=trainingdata/group01.zip --dest=trainingdata/group01.zip --resolution=512x512
```

--source= your directory with the given files

--destination= the output directory, dont forget to add .zip at the end

--resolution= resolution you want your images to be saved in. (1024x1024, 512x512 or 256x256 resolution)

start training

```
python train.py --outdir=~/.training-runs --cfg=stylegan3-t --data=~/.datasets/afhqv2-512x512.zip --gpus=8 --batch=32 --gamma=8.2 --mirror=1
```

--outdir= direction where you want to save the trained data

--data= your dataset you want to use

--gpus= depends on the gpus you have. usually 1 will be

--batch=


```
python train.py --outdir=~/.training-runs --cfg=stylegan3-t --data=~/.trainingdata/(...) --gpus=1 --batch=8 --gamma=2 --snap=20 --resume=~/.datasets/afhqv2-512x512.zip
```

Opening the Python Visualizer

Python Visualizer

The following script will open the python Visualizer

```
python visualizer.py
```



You can open one of the .pkl files that NVIDIA provided or paste a local URL to your own trainingdata to visualize and play around.

StyleGAN3 - Training

Download Training data

training data

Group 01

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/7SzJ55ZroKPf5zY/download
```

Group 03

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/YGR7BaeoIBSePNI/download
```

Group 05

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/b1I0rgEaPcyaP44/download
```

Handling errors specific to stylegan

Handling errors specific to stylegan

Setting up PyTorch plugin "bias_act_plugin"... Failed!

This error sometimes occurs if styleGAN is running inference and then interrupted. Some cache files remain and they prevent the bias_act_plugin to be loaded, next time styleGAN is run.

From:


C:\Users*USER*\AppData\Local\torch_extensions\torch_extensions\Cache

there are a few folders called:

py37_cu117

py39_cu116

delete all of them.



StyleGAN workshop

Dangerzones

Setup Remote Jupyterhub Notebook

1. Signing into Jupyterhub via keycloak

key in your keycloak credentials [here](#)

Choose an XS slice

make sure to choose cuda 11.7 from the dropdown

Start My Server

2. Installing Stylegan3

```
conda init bash
```

```
source ~/.bashrc
```

```
git clone https://github.com/NVLabs/stylegan3.git
```

```
cd stylegan3
```

```
conda env create -f environment.yml
```

```
conda activate stylegan3
```

```
conda install cudatoolkit
```

downloading models

make 'pretrained' directory

```
mkdir pretrained
```

ffhq flicker faces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/j06LuPxYHRRtnQE/download -O  
pretrained/ffhq_faces.pkl
```

Wikiart

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/tbjJS7XBezBAC3B/download -O  
pretrained/wikiart.pkl
```

Metfaces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/eFZAmR6dDLelSo7/download -O  
pretrained/metfaces.pkl
```

Setup Local Stylegan

1. Refer to the Github Page

For major installation process refer to the [stylegan3 GitHub Page](#).

This is an in-depth YouTube tutorial on [how to install stylegan3 locally](#)

2. Installing Stylegan3

```
conda init bash
```

```
source ~/.bashrc
```

```
git clone https://github.com/NVLabs/stylegan3.git
```

```
cd stylegan3
```

```
conda env create -f environment.yml
```

```
conda activate stylegan3
```

```
conda install cudatoolkit
```

downloading models

make 'pretrained' directory

```
mkdir pretrained
```

ffhq flicker faces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/j06LuPxYHRRtnQE/download -O  
pretrained/ffhq_faces.pkl
```

Wikiart

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/tbjJS7XBezbAC3B/download -O  
pretrained/wikiart.pkl
```

Metfaces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/eFZAmR6dDLelSo7/download -O  
pretrained/metfaces.pkl
```


Inference

For generating single images and videos, you may follow these steps.

activating conda environment

this needs to be done before every session if you want to use stylegan

```
conda init bash
```

```
source ~/.bashrc
```

```
conda activate stylegan3
```

inference images

```
python gen_images.py --outdir=out --trunc=1 --seeds=2 --  
network=https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-r-  
afhqv2-512x512.pkl
```

inference video

```
python gen_video.py --output=out/wikiart.mp4 --trunc=1 --seeds=0-31 --network=pretrained/wikiart.pkl
```

Training

For training your own datasets, you can follow these steps.

Download Training data

```
mkdir trainingdata
```

Group 01

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/7SzJ55ZroKPf5zY/download -O trainingdata/group01.zip
```

Group 02

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/7SzJ55ZroKPf5zY/download -O trainingdata/group02.zip
```

Group 03

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/YGR7BaeoIBSePNI/download -O trainingdata/group03.zip
```

Group 04

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/SsrPKyPcyswd8z2/download -O trainingdata/group04.zip
```

Group 05

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/b1I0rgEaPcyaP44/download -O trainingdata/group05
```

Group 06

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/Orv9FDqqKwtBMIB/download -O trainingdata/group06
```

Prepare training data

```
python dataset_tool.py --source=trainingdata/group01.zip --destination=trainingdata/group01 --  
resolution=512x512
```

start training

```
python train.py --help
```


Downloading the DangerzonesGANs

downloading dangerzones models

go into directory pretrained:

```
cd pretrained
```

Download our trained models from the KISD Modelzoo:



Group 01 - androids gynoids

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/B7rOZIRzPN5rev1/download -O  
pretrained/group_01_220.pkl
```

Group 02 TBF - dataset error




Group 03 - grayscale faces

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/SRcjw6DPv9Alacn/download -O pretrained/group_03_500.pkl
```



Group 04 -future cities

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/CW8uQ2dsQbVOiXa/download -O pretrained/group_04_20.pkl
```



Group 05 - lamppost and sunflowers

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/fb0skqUV9ypIOEl/download -O pretrained/group_05.pkl
```

Group 05 - encoded data

Workshop

Setup Remote Jupyterhub Notebook

1. Signing into Jupyterhub

Login to JupyterHub with your cluster credentials [here](#)

Choose an XS or S slice

make sure to choose cuda 11.7 from the dropdown



A screenshot of a JupyterHub interface. At the top, there is a light blue header bar. Below it, a dark blue button with white text 'Start My Server' is visible. A mouse cursor is pointing at the button. The background is a light gray grid.

2. Installing Stylegan3

```
conda init bash
```

```
source ~/.bashrc
```

```
git clone https://github.com/NVLabs/stylegan3.git
```

```
cd stylegan3
```

```
conda env create -f environment.yml
```

```
conda activate stylegan3
```

```
conda install cudatoolkit
```

```
pip install torch torchvision
```

```
conda install psutil
```

Training

For training your own datasets, you can follow these steps.

For your own dataset make sure that your training data has the correct resolution. You may use either 1024x1024, 512x512 or 256x256 resolution. The chosen resolution has to match with the pre-existing dataset that you want to train on.

You may start a dataset from scratch, just be aware that generally training your collected images on a pre-existing dataset will usually give better results (and faster ones too).

activating conda environment


this needs to be done before every session if you want to use stylegan

```
conda init bash
```

```
source ~/.bashrc
```

```
conda activate stylegan3
```

alternatively if you are not able to activate stylegan3 through the terminal on our workstations, you can use the anaconda Navigator and start the terminal with the environment activated:



The screenshot shows the Anaconda Navigator application window. The left sidebar contains navigation options: Home, Environments, Learning, and Community. The 'Environments' section is active, displaying a list of environments: instant-ngp, ldm, miniconda3, myenv, nerf-sr, ngp, qwe, stylegan-fun, and stylegan3. The 'stylegan3' environment is selected and highlighted with a green play button icon. Below the environment list are buttons for 'Create', 'Clone', 'Import', 'Backup', and 'Remove'. The main panel shows the 'Installed' tab with a table of installed packages. The table has columns for Name, Description, and Version. The packages listed are: blas, brotli, brotli-bin, brotli-py, ca-certificates, certifi, cffi, charset-normalizer, click, colorama, and cryptography. At the bottom of the package list, it says '153 packages available'.

Name	Description	Version
blas	Linear algebra package	1.0
brotli	Brotli compression format	1.0.9
brotli-bin	Brotli compression format	1.0.9
brotli-py	Python bindings to the brotli compression library	0.7.0
ca-certificates	Certificates for use with other packages.	2023.01...
certifi	Python package for providing mozilla's ca bundle.	2023.5.7
cffi	Foreign Function interface for python calling c code.	1.15.1
charset-normalizer	The real first universal charset detector. open, modern and actively maintained alternative to chardet.	2.0.4
click	Python composable command line interface toolkit	8.0.4
colorama	Cross-platform colored terminal text	0.4.5
cryptography	Provides cryptographic recipes and primitives to python developers	38.0.1

Download Training data

If not done before, set up a new directory for the training data

```
mkdir trainingdata
```

in the trainingdata folder: set up a new folder (for example called imgs) and upload your images

If you want to download your trainingdata from a sciebo folder, you may use this code. Instead of the given link you may use your own one.

```
wget --no-check-certificate --content-disposition https://th-koeln.sciebo.de/s/7SzJ55ZroKPf5zY/download -O trainingdata/group01.zip
```

```
wget --no-check-certificate --content-disposition  
https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-t-afhqv2-512x512.pkl -O datasets/stylegan3-t-afhqv2-512x512.pkl
```

```
https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-t-afhqv2-512x512.pkl
```

Prepare training data

Before training, it is highly recommended to check your dataset through the given stylegan3 check-up. It can resize your images too, although it is usually better to do it before on your own. (Adobe Bridge is a great tool for batch processing.)

```
python dataset_tool.py --source=trainingdata/imgs/ --dest=trainingdata/group01.zip --resolution=512x512
```

--source= your directory with the given files

--destination= the output directory, dont forget to add .zip at the end

--resolution= resolution you want your images to be saved in. (1024x1024, 512x512 or 256x256 resolution)

start training

```
python train.py --outdir=/home/jovyan/stylegan3/training-runs --cfg=stylegan3-t --  
data=/home/jovyan/stylegan3/trainingdata/group01.zip --gpus=1 --batch=8 --gamma=2 --snap=20 --  
resume="https://api.ngc.nvidia.com/v2/models/nvidia/research/stylegan3/versions/1/files/stylegan3-t-afhqv2-512x512.pkl"
```

--outdir= direction where you want to save the trained data

--data= your dataset you want to use

--gpus= depends on the gpus you have. usually 1 will be


--batch=

Opening the Python Visualizer

Python Visualizer

The following script will open the python Visualizer

```
python visualizer.py
```



You can open one of the .pkl files that NVIDIA provided or paste a local URL to your own trainingdata to visualize and play around.